

Sunfacta® 85, 110 & 150 gravity drop systems

Sunfacta[®]

85, 110 & 150 gravity drop systems

OVERVIEW

- Used for areas up to 4.5m wide, 7m drop or 34m²
- Roller concealed within a neat headbox

SYSTEM DETAILS


SHY Sunfacta® gravity drop blinds are custom-made to fit any angle from vertical to 30° from the vertical. (For blinds over 30° from the vertical, please see our Sunfacta® CTS rooflight system).

A Sunfacta® gravity drop blind consists of an upper headbox containing the cloth roller. As the cloth is deployed the combined weight of the cloth and hem bar, which is permanently affixed to the cloth, pull it down.

APPLICATION

Ideal for both commercial and high-end domestic situations. Neat and stylish, Sunfacta® gravity blinds can be installed in multiple applications including glare and heat control window blinds, to room and space dividers, projection screens in offices and home cinemas. Utilising a wide choice of blind fabrics.

Hardware can be powder coated to any RAL colour (standard colours are white & black) to suit existing surroundings.









- Standard headbox sizes are 85mm, 110mm and 150mm square
- The choice of box depends on the size of the blind, with larger blinds requiring larger headboxes
- A 65mm headbox is also available for smaller systems. (Please see separate 65 Sunfacta[®] literature)



FABRIC

- Blackout prevents or significantly reduces the amount of light passing through the fabric
- Glass fibre and polyester screen protect against heat and glare of the sun



MANUAL CONTROL

- Chain (size dependent)
- Crank handle (size dependent)
- Hand (size dependent)




MOTORISED CONTROL

- Radio control remote or switch
- Hard wired switch or integration into control systems
- Battery powered (up to 7m²)

Sunfacta[®]

System Specification



OTHER SYSTEMS IN THE SUNFACTA® RANGE

- SHY Sunfacta® 65 gravity drop system
- SHY Sunfacta® 200 Plus gravity drop system
- SHY Sunfacta® twin system

GET IN TOUCH...