



& SPECTRUM™ 1050
SCREEN BLACKOUT



& SPECTRUM™ 1050



COLOUR	SOLAR			OPTICAL			UV% BLOCK
	T%	R%	A%	T%	R%	A%	
White	0	70	30	0	84	16	100
Beige	0	71	29	0	82	18	100
Grey/White	0	70	30	0	82	18	100
Grey/Flax	0	74	26	0	85	15	100
Flax	0	74	26	0	84	16	100
Black	0	70	30	0	84	16	100

Spectrum 1050 screen blackout fabric is designed to satisfy the highest technical and aesthetic room darkening and privacy standards as determined by today's residential, commercial, educational and healthcare applications. The fabric is fire retardant, non-toxic, UV and fungal resistant.

Spectrum 1050 provides a superior blackout and solar shading solution. The fabric is durable, can be easily wiped clean and is suitable for moist conditions; it also does not fray.

Due to the strength and stability of the fabric weave, Spectrum 1050 is particularly suited to our KuroLok and KuroLok RL systems. It performs well under tension and is our recommended blackout fabric for rooflight blinds.

THICKNESS	0.60mm
WEIGHT	560g/m ²
COMPOSITION	30% Polyester, 70% PVC, foamed backing
WIDTHS	2m
FIRE RETARDANCY	BS 5867 (2008 Part 2, Type B) in accordance with BS EN ISO 15025:2002 Procedure A
CARE INSTRUCTIONS	Do not soak. Clean by gently wiping with a sponge.
COLOUR FASTNESS	BS EN ISO 105 – B02:1999 (colour fastness to artificial light Std 6)
OPENESS FACTOR	Block-out



UMBRA®YOU

THIS FABRIC CAN BE USED WITH:

SYSTEM

FABRIC

®KUROLOK
TWIN RL



®KUROLOK RL



®HELIOS RL



®KUROLOK



®KURO



®HELIOS



®SIRIOS




®ORBIS



®SPECTRUM™1050

SELECT YOUR FABRIC



VIEW OUR RANGE
OF FABRICS ONLINE

www.umbrashading.co.uk/products-services/blind-fabrics

PERSONALISE YOUR BLINDS

We harness digital printing technology so you can create a truly bespoke finished product. Add logos, photographs or messages to your blinds.

UMBRA®

01792 562015

sales@umbrashading.co.uk
www.umbrashading.co.uk