
SPECTRUM™5010 5%









COLOUR	SOLAR			OPTICAL			UV% BLOCK
	Т%	R%	Α%	Т%	R%	Α%	BLOCK
White	12	74	14	11	_	_	93
Cornsilk	10	70	20	10	_	_	93
Linen	9	56	35	9	_	_	94
Flax	8	40	52	9	_	_	95
Grey/Flax	8	40	52	9	-	_	94
Grey/White	6	47	47	8	-	_	94
Grey	14	49	37	12	_	_	94
Charcoal/Grey	7	11	82	8	-	_	95
Bronze	7	5	88	8	-	_	95
Black	5	3	92	7	-	_	95

Spectrum 5010 is a versatile and high-performance sunscreening fabric. A range of options ensure that there is a perfect solution for every situation.

Available in 4 different openness factors, you can tailor the amount of light you let in according to the needs of each space whilst maintaining good outward views. All colours are available across each openness factor which allows you to mix different levels of shading within a building, for example on different elevations, whilst maintaining a uniform appearance.

This fabric is certified to international standards for fire retardancy and to Oeko-Tex and Greenguard standards for harmful substances and indoor air quality. It is also infused with anti-microbial protections.

This fabric is available in:

1% 3% **5%** 10%

THICKNESS	0.55mm
WEIGHT	410g/m ²
COMPOSITION	30% Polyester, 70% PVC
WIDTHS	2m, 2.5m, 3m
FIRE RETARDANCY	B1 DIN 4102, NFPA 701
CARE INSTRUCTIONS	Do not soak. Clean gently by wiping with a sponge
COLOUR FASTNESS	ISO 105: B02 GRADE 8
OPENESS FACTOR	5%





THIS FABRIC CAN BE USED WITH:

SYSTEM	FABRIC



SELECT YOUR FABRIC



VIEW OUR RANGE OF FABRICS ONLINE

www.umbrashading.co.uk/productsservices/blind-fabrics

PERSONALISE YOUR BLINDS

We harness digital printing technology so you can create a truly bespoke finished product. Add logos, photographs or messages to your blinds.



01792 562015

sales@umbrashading.co.uk www.umbrashading.co.uk